




YODO MEDICAL

DOHIS

Disposable Office Hysteroscopy Integrated System



See & Treat

One Stop in Office

All-in-one System



» Front camera for device tracking & management

» Integrated touchable control system for image adjustment & realtime pressure monitoring

» Medical real-time image processing
 » High color accuracy
 » 3D noise reduction

» 21.5" HD medical display


» Plug-and-play interface for disposable hysteroscopy

» Intraoperative data interface for full recording

» Dilatation & suction dual pump system
 » Real-time monitoring
 » Maintain constantly stable pressure

Image Processor with Dual Pump

See and Treat One stop in Office



» 5 Fr. Instrument access included

» Individual QR code for full traceability

» Outer diameter ≤ 5mm

» Inlet/outlet flow in non-planar convection design


» Ceramic tip
 » 140° wide angle, mask switching
 » 720p CMOS camera module

Disposable Electronic Hysteroscope

Compatible with Hysteroscopic and Energy Instruments



Monopolar/bipolar electrode




Biopsy Forceps

Grasping Forceps

Single-blade Scissors

Double-blade Scissors

IUD Removal Forceps



Rotatable pistol-grip instrument

Disposable pistol-grip instrument

Conventional pistol-grip instrument

Energy Surgical Instruments

Hysteroscopic Instruments

Features "CLEARING"

Realize the academic philosophy of "Instant diagnosis and treatment for intrauterine diseases"



C ontinuous clear

- » Dual pump dilatation system
- » Inlet/outlet flow in non-planar convection



R apid preoperative preparation

- » Quick connections for ONLY 3 interfaces to finish preparations for consecutive surgeries



L asting Pressure

- » Sustained dilatation pressure under continuous convection



I ntraoperative Shaping

- » Intraoperative personalized shaping according to the patient's anatomical perspective



E lectrosurgery instruments

- » Zirconia Ceramic tip for safer use of electro-surgical instruments



N on-changes to operating habit

- » Refer to the conventional straight endo with straight instrument
- » Easy operation for uterine wall procedure



A ccelerated sampling

- » Multiple continuous biopsies sampling with just single instrument insertion




G ood image

- » 720p megapixel image
- » 140° ultra-wide field of view
- » Round/full screen switch

Indications

- » AUB
- » Suspected intrauterine diseases assessment
- » Endometrial assessment
- » Early screening for endometrial cancer
- » Endometrial polyps
- » Postoperative assessment
- » Mild to moderate intrauterine adhesions
- » Mild uterine mediastinum
- » IUD removal
- » Tubal ventilation
- » Residual embryo/foreign body removal



Contraindications

Same as traditional hysteroscopy

Product Name	Working Length (mm)	O.D. (mm)	Instrument max. O.D. (mm)	Depth of Field (mm)	Resolution (pixel)	Angle of View	Field of View
Disposable Electronic Hysteroscopy	200/220	5	1.8	3-50	1 million	0°	140°



YODO MEDICAL

***Committed to Medical Innovation
Contribute to Human Health***

Shanghai YODO Medical Technology Co., Ltd.

 Add: Building 8, Lane 588, Tianxiong Road, Pudong, Shanghai, China

 Tel: +86-21-38019090

 Web: www.dohis.net

 E-mail: info@yodohealthcare.com